S/N		c	onfiguratio	n Details		
	Turbo Model	GT28-1	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.64
1	Cooled	Water&Oil cooled or only oil cooled	Air Inlet		Flange	T25
	Oil Feed		Air Outlet		Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф54.30mm	Inducer	Ф53.00mm
	Horsepower		Exducer	Ф82.00mm	Exducer	Ф46.20mm
	Turbo Model	GT2860-1	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.60	A/R	0.64
2	Cooled	Water&Oil cooled	Air Inlet	3"	Flange	T25
_	Oil Feed		Air Outlet	2"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф54.13mm	Inducer	Ф65mm
	Horsepower	250-400hp	Exducer	Ф70mm	Exducer	Ф56mm
	Turbo Model	GT2860-2	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.42	A/R	0.64
3	Cooled	Water&Oil cooled	Air Inlet	2.5"	Flange	T25
3	Oil Feed		Air Outlet	2"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф44.6mm	Inducer	Ф50.08mm
	Horsepower	200-350hp	Exducer	Ф60mm	Exducer	Ф46.20mm
	Turbo Model			& Wheel	Turbine Hs	_
	Bearing	Journal bearing	A/R	0.60	A/R	0.86
4	Cooled	Water&Oil cooled or only oil cooled	Air Inlet		Flange	T25
	Oil Feed		Air Outlet		Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф54.13mm	Inducer	Ф46.20mm
	Horsepower		Exducer	Ф70.00mm	Exducer	Ф53.00
	Turbo Model			g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.50	A/R	0.49
5						
	Cooled	Oil cooled	Air Inlet	69mm	Flange	T25
	Oil Feed		Air Inlet Air Outlet	69mm 50mm	Flange Exhasut Outlet	5 Bolts
			Air Inlet Air Outlet Inducer	69mm 50mm Φ54.30mm	Flange Exhasut Outlet Inducer	5 Bolts Ф53.00mm
3	Oil Feed		Air Inlet Air Outlet	69mm 50mm	Flange Exhasut Outlet	5 Bolts
3	Oil Feed Oil Drain Horsepower	Oil cooled 180-320hp	Air Inlet Air Outlet Inducer Exducer	69mm 50mm Φ54.30mm Φ76.00mm	Flange Exhasut Outlet Inducer Exducer	5 Bolts Φ53.00mm Φ46.20mm
	Oil Feed Oil Drain Horsepower Turbo Model	Oil cooled 180-320hp GT2860-5	Air Inlet Air Outlet Inducer Exducer Comp Hsg	69mm 50mm Φ54.30mm Φ76.00mm	Flange Exhasut Outlet Inducer Exducer Turbine Hs	5 Bolts Φ53.00mm Φ46.20mm g & Wheel
	Oil Feed Oil Drain Horsepower Turbo Model Bearing	Oil cooled 180-320hp GT2860-5 Journal bearing	Air Inlet Air Outlet Inducer Exducer Comp Hsg	69mm 50mm Φ54.30mm Φ76.00mm g & Wheel 0.60	Flange Exhasut Outlet Inducer Exducer Turbine Hs A/R	5 Bolts Φ53.00mm Φ46.20mm g & Wheel 0.49
	Oil Feed Oil Drain Horsepower Turbo Model Bearing Cooled	Oil cooled 180-320hp GT2860-5	Air Inlet Air Outlet Inducer Exducer Comp Hsg A/R Air Inlet	69mm 50mm Φ54.30mm Φ76.00mm g & Wheel 0.60 3"	Flange Exhasut Outlet Inducer Exducer Turbine Hs A/R Flange	5 Bolts Φ53.00mm Φ46.20mm g & Wheel 0.49 T25
6	Oil Feed Oil Drain Horsepower Turbo Model Bearing Cooled Oil Feed	Oil cooled 180-320hp GT2860-5 Journal bearing	Air Inlet Air Outlet Inducer Exducer Comp Hsg A/R Air Inlet Air Outlet	69mm 50mm 454.30mm 476.00mm 8 & Wheel 0.60 3" 2"	Flange Exhasut Outlet Inducer Exducer Turbine Hs A/R Flange Exhasut Outlet	5 Bolts Φ53.00mm Φ46.20mm g & Wheel 0.49 T25 5 Bolts
	Oil Feed Oil Drain Horsepower Turbo Model Bearing Cooled Oil Feed Oil Drain	Oil cooled 180-320hp GT2860-5 Journal bearing Water&Oil cooled	Air Inlet Air Outlet Inducer Exducer Comp Hsg A/R Air Inlet Air Outlet Inducer	69mm 50mm Φ54.30mm Φ76.00mm g & Wheel 0.60 3" 2" Φ54.13mm	Flange Exhasut Outlet Inducer Exducer Turbine Hs A/R Flange Exhasut Outlet Inducer	5 Bolts Φ53.00mm Φ46.20mm g & Wheel 0.49 T25 5 Bolts Φ53.00mm
	Oil Feed Oil Drain Horsepower Turbo Model Bearing Cooled Oil Feed	Oil cooled 180-320hp GT2860-5 Journal bearing	Air Inlet Air Outlet Inducer Exducer Comp Hsg A/R Air Inlet Air Outlet	69mm 50mm 454.30mm 476.00mm 8 & Wheel 0.60 3" 2"	Flange Exhasut Outlet Inducer Exducer Turbine Hs A/R Flange Exhasut Outlet	5 Bolts Φ53.00mm Φ46.20mm g & Wheel 0.49 T25 5 Bolts

	Turbo Model	GT2871-1	Comp Hs	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.60	A/R	0.64
_	Cooled	Water&Oil cooled	Air Inlet	3"	Flange	T25
7	Oil Feed		Air Outlet	2"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф54.13mm	Inducer	Ф53.00mm
	Horsepower	250-400hp	Exducer	Ф70.00mm	Exducer	Ф46.20mm
	·	·				
	Turbo Model	GT2871-2	Comp Hs	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.60	A/R	0.64
	Cooled	Water&Oil cooled	Air Inlet		Flange	T25
8	Oil Feed		Air Outlet		Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф42.80mm	Inducer	Ф53.00mm
	Horsepower	250-400hp	Exducer	Ф60.00mm	Exducer	Ф46.20mm
	Turbo Model	GT2876	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.86
9	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T25
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф54.30mm	Inducer	Ф53.00mm
	Horsepower	350-450hp	Exducer	Ф76.00mm	Exducer	Ф46.20mm
	Turbo Model	GT30	Comp Hs	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.63
	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	Т3
10		or only Oil cooled				
	Oil Feed	M12*1.5	Air Outlet	2.5"	Exhasut Outlet	5 Bolts
	Oil Drain	2-M8*1.25-50.8	Inducer	Ф61.40	Inducer	Ф65.25
	Horsepower	400-500hp	Exducer	Ф82.00	Exducer	Ф56.00
				0.144		0.114
	Turbo Model	WGT30	. `	& Wheel	Turbine Hs	_
	Bearing	Journal bearing	A/R	0.70	A/R	0.63
11	Cooled	Water&Oil cooled or only Oil cooled	Air Inlet	4"	Flange	Т3
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	V-Band-79mm
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф65.25mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф56mm
	Turbo Model	GT3071-2	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.82
12	Cooled	Water&Oil cooled	Air Inlet		Flange	T3
12	Oil Feed		Air Outlet		Exhasut Outlet	V-Band
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф65.20mm
	Horsepower		Exducer	Ф82.00mm	Exducer	Ф56.00mm
	Turbo Model	GT3076-1		& Wheel	Turbine Hs	_
	Bearing	Journal bearing	A/R	0.70	A/R	0.64

	Cooled	Water&Oil cooled	Air Inlet		Flange	T25
13	Oil Feed	Water don cooled	Air Outlet		Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф54.3mm	Inducer	Ф53.00mm
	Horsepower		Exducer	Ф82.00mm	Exducer	Ф46.2mm
	Погосромст		Exaucei	402.00mm	Exaucei	Ψ40.2IIIII
	Turbo Model	GT3076-2	Comp Hse	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.86
	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T25
14	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф54.30mm	Inducer	Ф53.00mm
	Horsepower	350-450hp	Exducer	Ф76.00mm	Exducer	Ф46.20mm
			27(0.0.00)	. , 6:66:		
	Turbo Model	GT3076-3	Comp Hse	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.86
	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T25
	cooled	Water don't cooled	711111111111111111111111111111111111111	•	riange	5 Bolts or can
15	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	+ V band
	onreca		7 III Gatiet	2.3	Extrasac Gatree	adaptor
	Oil Drain		Inducer	Ф54.30mm	Inducer	Ф53.00mm
	Horsepower	350-450hp	Exducer	Ф76.00mm	Exducer	46.2mm
	Horsepower	330- 4 3011p	LXUUCEI	Ψ70.00ΠΠΠ	LXddcei	40.211111
	Turbo Model	GT35-1	Comp Hss	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R(T04E)	0.70	A/R	0.63
	Cooled	Oil cooled	Ajr (104L)	4"	Flange	T3
16	Oil Feed	Oil cooled	Air Outlet	2.5"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф65.25mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф56.00mm
	Horsepower	400-300Hp	LXuucei	Ψ82.00111111	LXuucei	Ψ30.0011111
	Turbo Model	GT35-2	Comp Hss	g & Wheel	Turbine Hs	σ & Wheel
	Bearing	Journal bearing	A/R(T04E)	0.70	A/R	0.63
	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T3
17	Oil Feed	Water Con Cooled	Air Outlet	2.5"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф65.25mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф56.00mm
	Horsepower	400-500Hp	LXUUCEI	Ψ82.0011111	LXddcei	Ψ30.0011111
	Turbo Model	GT3582-1	Comp Hse	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.63
	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T3
18	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	4 Bolts
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.60mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	2 2 2 2 3 2					
	Turbo Model	GT3582-2	Comp Hss	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.82
	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T3
19	Oil Feed	11010.001100	Air Outlet	2.5"	Exhasut Outlet	4 Bolts
	J.: 1 CCG		54666			. 50.03

Horsepower		Oil Drain		Inducer	Ф61.40mm	Inducer	Ф68.00mm
Bearing Journal bearing A/R 0.70 A/R 1.06		Horsepower	400-600hp	Exducer	Ф82.00mm	Exducer	Ф62.30mm
Bearing Journal bearing A/R 0.70 A/R 1.06		·	·				
Bearing Journal bearing A/R 0.70 A/R 1.06		Turbo Model	GT3582-3	Comp Hs	& Wheel	Turbine Hs	g & Wheel
Cooled Water&Oil cooled Air Inlet Air Flange T3		Bearing	Journal bearing		ĺ		_
Oil Feed				-	4"	· ·	T3
Oil Drain	20	Oil Feed		Air Outlet	2.5"		4 Bolts
Turbo Model GT3582-4 Comp Hsg & Wheel Turbine Hsg & Wheel				Inducer	Ф61.40mm		Ф68.00mm
Turbo Model GT3582-4 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.50 A/R 1.06 Ni Feed Oil Drain Inducer Diamond Mater Ma		Horsepower	400-600hp	Exducer	Ф82.00mm	Exducer	Ф62.30mm
Bearing		•	•				
Bearing		Turbo Model	GT3582-4	Comp Hs	& Wheel	Turbine Hs	g & Wheel
Cooled Water&Oil cooled Air Inlet 3" Flange T3		Bearing	Journal bearing	A/R	0.50	A/R	1.06
1		,	,	Air Inlet	3"	Flange	T3
Horsepower	21	Oil Feed		Air Outlet	2"		5 Bolts
Turbo Model GT3582-5 Comp Hsg & Wheel Turbine Hsg & Wheel		Oil Drain		Inducer	Ф61.40mm	Inducer	Ф67.75mm
Turbo Model GT3582-5 Comp Hsg & Wheel Turbine Hsg & Wheel		Horsepower	400-600hp	Exducer	Ф82.00mm	Exducer	Ф62.30mm
Bearing Journal bearing A/R 0.70 A/R 0.63		•	•				
Bearing Journal bearing A/R 0.70 A/R 0.63		Turbo Model	GT3582-5	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
Cooled Water&Oil cooled Air Inlet 4" Flange T3		Bearing	Journal bearing		1		_
Oil Feed Oil Drain Inducer			-	•	4"	-	T3
Horsepower 400-500hp Exducer Φ82.00mm Exducer Φ62.30mm Turbo Model GT35/40 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R(T04E) 0.70 A/R KKK Cooled Water&Oil cooled Air Inlet 4" Flange T3 twin scroll Oil Feed Air Outlet 2.5" Exhasut Outlet 4 Bolts Oil Drain Inducer Ф66.60mm Inducer Ф74.50mm Horsepower 450-600hp Exducer Ф84.00mm Exducer Ф64.50mm Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Cooled Water&Oil cooled or only Oil cooled Oil Drain Inducer Ф74.80mm Inducer Ф81.70mm Horsepower Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Fl	22	Oil Feed		Air Outlet	2.5"		4 Bolts
Turbo Model GT35/40 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R(T04E) 0.70 A/R KKK Cooled Water&Oil cooled Air Inlet 4" Flange T3 twin scroll Oil Feed Oil Drain Inducer Ф66.60mm Inducer Ф74.50mm Horsepower 450-600hp Exducer Ф84.00mm Exducer Ф64.50mm Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Cooled Oil Feed Air Outlet 4.2" Exhasut Outlet 6 Bolts Oil Drain Inducer Ф74.80mm Inducer Ф81.70mm Horsepower Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Oil Cooled Air Inlet Flange T4 twin scroll Oil Feed Oil Cooled Air Inlet Flange T4 twin scroll Oil Feed Oil cooled Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Oil Drain		Inducer	Ф61.40mm	Inducer	Ф68.00mm
Turbo Model GT35/40 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R(T04E) 0.70 A/R KKK Cooled Water&Oil cooled Air Inlet 4" Flange T3 twin scroll Oil Feed Oil Drain Inducer Ф66.60mm Inducer Ф74.50mm Horsepower 450-600hp Exducer Ф84.00mm Exducer Ф64.50mm Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Cooled Oil Feed Air Outlet 4.2" Exhasut Outlet 6 Bolts Oil Drain Inducer Ф74.80mm Inducer Ф81.70mm Horsepower Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Oil Cooled Air Inlet Flange T4 twin scroll Oil Feed Oil Cooled Air Inlet Flange T4 twin scroll Oil Feed Oil cooled Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф62.30mm
Bearing Journal bearing A/R(T04E) 0.70 A/R KKK Cooled Water&Oil cooled Air Inlet 4" Flange T3 twin scroll Oil Feed Air Outlet 2.5" Exhasut Outlet 4 Bolts Oil Drain Inducer Ф66.60mm Inducer Ф74.50mm Horsepower 450-600hp Exducer Ф84.00mm Exducer Ф64.50mm Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Cooled Water&Oil cooled or only Oil cooled Oil Drain Inducer Ф74.80mm Inducer Ф81.70mm Horsepower Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Oil Cooled Air Inlet Flange T4 twin scroll Exducer D102.40mm Exducer D75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Flange T4 twin scroll Oil Feed Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Oil Cooled Air Inlet Flange T4 twin scroll Oil Feed Oil D74 D75.35mm Inducer D75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel S60.00 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Oil D74.00 Air Outlet S74.00 Air							
Cooled Water&Oil cooled Air Inlet 4" Flange T3 twin scroll Oil Feed Air Outlet 2.5" Exhasut Outlet 4 Bolts Oil Drain Inducer Ф66.60mm Inducer Ф74.50mm Horsepower 450-600hp Exducer Ф84.00mm Exducer Ф64.50mm Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Cooled Water&Oil cooled or only Oil cooled Oil Drain Inducer Ф74.80mm Inducer Ф81.70mm Horsepower Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Flange Flange T4 twin scroll Flange Flange Flange Flange Flange T4 twin scroll Flange Fla		Turbo Model	GT35/40	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
Oil Feed Air Outlet 2.5" Exhasut Outlet 4 Bolts Oil Drain Inducer Ф66.60mm Inducer Ф74.50mm Horsepower 450-600hp Exducer Ф84.00mm Exducer Ф64.50mm Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Cooled Oil Feed Air Outlet 4.2" Exhasut Outlet 6 Bolts Oil Drain Inducer Ф74.80mm Inducer Ф81.70mm Horsepower Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer Inducer		Bearing	Journal bearing	A/R(T04E)	0.70	A/R	KKK
Oil Feed Oil Drain Inducer	22	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T3 twin scroll
Horsepower 450-600hp Exducer Φ84.00mm Exducer Φ64.50mm Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Oil Feed Air Outlet 4.2" Exhasut Outlet 6 Bolts Oil Drain Inducer Φ74.80mm Inducer Φ81.70mm Horsepower Exducer Φ102.40mm Exducer Φ75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer	23	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	4 Bolts
Turbo Model GT42 (731376-5002) Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R 0.60 A/R 1.05 Cooled Water&Oil cooled or only Oil cooled Oil Feed Air Outlet 4.2" Exhasut Outlet 6 Bolts Oil Drain Inducer Ф74.80mm Inducer Ф81.70mm Horsepower Exducer Ф102.40mm Exducer Ф75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Oil Drain		Inducer	Ф66.60mm	Inducer	Ф74.50mm
Bearing Journal bearing A/R 0.60 A/R 1.05		Horsepower	450-600hp	Exducer	Ф84.00mm	Exducer	Ф64.50mm
Bearing Journal bearing A/R 0.60 A/R 1.05							
24CooledWater&Oil cooled or only Oil cooled or only Oil cooledAir Inlet5"FlangeT4 twin scrollOil FeedAir Outlet4.2"Exhasut Outlet6 BoltsOil DrainInducerΦ74.80mmInducerΦ81.70mmHorsepowerExducerΦ102.40mmExducerΦ75.35mmTurbo ModelGT45Comp Hsg & WheelTurbine Hsg & WheelBearingJournal bearingA/R (two)0.66A/R1.05CooledOil cooledAir InletFlangeT4 twin scrollOil FeedAir OutletExhasut OutletV BANDOil DrainInducerInducer		Turbo Model	GT42 (731376-5002)	Comp Hs	& Wheel	Turbine Hs	g & Wheel
24 Cooled Oil Feed Oil Feed Oil Drain Horsepower Air Outlet Air Outlet A.2" Exhasut Outlet General Exhaucer April Exhaut Outlet April Exhaut Out		Bearing	Journal bearing	A/R	0.60	A/R	1.05
Or only Oil cooled Oil Feed Air Outlet 4.2" Exhasut Outlet 6 Bolts Oil Drain Inducer Φ74.80mm Inducer Φ81.70mm Horsepower Exducer Φ102.40mm Exducer Φ75.35mm Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Cooled	Water&Oil cooled	Δir Inlet	5"	Flange	TA twin scroll
Oil DrainInducerΦ74.80mmInducerΦ81.70mmHorsepowerExducerΦ102.40mmExducerΦ75.35mmTurbo ModelGT45Comp Hsg & WheelTurbine Hsg & WheelBearingJournal bearingA/R (two)0.66A/R1.05CooledOil cooledAir InletFlangeT4 twin scrollOil FeedAir OutletExhasut OutletV BANDOil DrainInducerInducer	24	Cooled	or only Oil cooled	All lillet	3	ridiige	14 CWIII 3CI OII
Horsepower Exducer Φ102.40mm Exducer Φ75.35mm 25 Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Oil Feed			4.2"	Exhasut Outlet	
Turbo Model GT45 Comp Hsg & Wheel Turbine Hsg & Wheel Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Oil Drain		Inducer	Ф74.80mm	Inducer	Ф81.70mm
Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Horsepower		Exducer	Ф102.40mm	Exducer	Ф75.35mm
Bearing Journal bearing A/R (two) 0.66 A/R 1.05 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer							
25 Cooled Oil cooled Air Inlet Flange T4 twin scroll Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Turbo Model		Comp Hs			g & Wheel
Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer		Bearing	Journal bearing	A/R (two)	0.66	A/R	
Oil Feed Air Outlet Exhasut Outlet V BAND Oil Drain Inducer Inducer	25	Cooled	Oil cooled	Air Inlet		Flange	T4 twin scroll
		Oil Feed		Air Outlet		Exhasut Outlet	V BAND
		Oil Drain		Inducer		Inducer	
Horsepower Exducer Exducer		Horsepower		Exducer		Exducer	

	Turbo Model	GT45R	Comp Hss	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R (two)	0.70	A/R	1.00
	Cooled	Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
26	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф66.60mm	Inducer	Ф73.60mm
	Horsepower	400-500hp	Exducer	Ф84.00mm	Exducer	Ф64.50mm
	•					
	Turbo Model	GT45R-2	Comp Hsg	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R (two)	0.70	A/R	1.32
27	Cooled	Water&Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3.25"V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.60mm
	Horsepower	500-600hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	Turbo Model	GT45R-3	Comp Hsg	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R (two)	0.70	A/R	1.15
28	Cooled	Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
20	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3.25"V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.60mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	Turbo Model	KKR560 T560	Comp Hsg	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R (two)	0.50	A/R	0.70
29	Cooled	Water&Oil cooled	Air Inlet	69mm	Flange	T3 twin scroll
23	Oil Feed		Air Outlet	50mm	Exhasut Outlet	2.5"V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.00mm
	Horsepower	500hp	Exducer	Ф82.00mm	Exducer	Ф56.00mm
	Turbo Model	T25	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.42	A/R	0.49
	Cooled	Water*Oil cooled	Air Inlet	2.5"	Flange	T25
30	Oil Feed		Air Outlet	2"	Exhasut Outlet	5 Bolts +level adaptor
	Oil Drain		Inducer	Ф44.60mm	Inducer	Ф53.00mm
	Horsepower	150-280hp	Exducer	Ф60.00mm	Exducer	Ф46.20mm
	Turbo Model	T25/T28	Comp Hsg	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.60	A/R	0.86
31	Cooled	Water*Oil cooled	Air Inlet		Flange	T25
51	Oil Feed		Air Outlet		Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф42.80mm	Inducer	Ф53.00mm
	Horsepower		Exducer	Ф60.00mm	Exducer	Ф46.20mm
	Turbo Model	T3-1		g & Wheel	Turbine Hs	
	Bearing	Journal bearing	A/R	0.60	A/R	0.48

	Cooled	Water*Oil cooled	Air Inlet		Flange	Т3
32	Oil Feed	vvater on coolea	Air Outlet		Exhasut Outlet	4 Bolts
	Oil Drain		Inducer	Ф42.80mm	Inducer	Ф65.00mm
			Exducer	Φ42.80IIIIII	Exducer	Ф49.00mm
	Horsepower		Exuucei	Φ60.00111111	Exuucei	Ψ49.00ΠΠΠ
	Tunda a NA adal	T2 2	Committee	- 0 \A/b a a l	Tumbin o Ho	~ Q \\/h ~ ~
	Turbo Model	T3-2		g & Wheel	Turbine Hs	-
	Bearing	Journal bearing	A/R	0.60 3"	A/R	0.82
33	Cooled	Oil cooled	Air Inlet	_	Flange	T3
	Oil Feed		Air Outlet	2"	Exhasut Outlet	V BAND
	Oil Drain	222 122	Inducer	Φ54.13mm	Inducer	Φ65.00mm
	Horsepower	300-400hp	Exducer	Ф70.00mm	Exducer	Ф49.00mm
						0.111
	Turbo Model	T3-3		g & Wheel	Turbine Hs	_
	Bearing	Journal bearing	A/R (T04E)	0.70	A/R	0.48
34	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T3
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	4 Bolts
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф65.00mm
	Horsepower	300-400hp	Exducer	Ф82.00mm	Exducer	Ф49.00mm
	Turbo Model	T3-4	Comp Hsg	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.63
35	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T3
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	5 Bolts
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф65.25mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф56.00mm
	Turbo Model	T3-5	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.60	A/R	0.48
36	Cooled	Water*Oil cooled	Air Inlet	3"	Flange	T3
30	Oil Feed		Air Outlet	2"	Exhasut Outlet	2.5" V band
	Oil Drain		Inducer	Ф54.13mm	Inducer	Ф65.00mm
	Horsepower	300-400hp	Exducer	Ф70.00mm	Exducer	Ф49.00mm
	Turbo Model	T3-6	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R (T04E)	0.70	A/R	0.48
27	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T3
37	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	2.5" V band
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф65.00mm
	Horsepower	300-400hp	Exducer	Ф82.00mm	Exducer	Ф49.00mm
	Turbo Model	T3-A	Comp Hsg	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.50	A/R	0.48
20	Cooled	Oil cooled	Air Inlet	3"	Flange	T3
38	Oil Feed		Air Outlet	2"	Exhasut Outlet	4 Bolts
	Oil Drain		Inducer	Ф54.30mm	Inducer	Ф65.00mm
	Horsepower	300-400hp	Exducer	Ф76.00mm	Exducer	Ф49.00mm
		<u> </u>		1	I.	

	Turbo Model	T3-B	Comp Hs	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.50	A/R	0.48
39	Cooled	Water&Oil cooled	Air Inlet	3"	Flange	T3
39	Oil Feed		Air Outlet	2"	Exhasut Outlet	2.5" V band
	Oil Drain		Inducer	Ф54.30mm	Inducer	Ф65.00mm
	Horsepower	300-400hp	Exducer	Ф76.00mm	Exducer	Ф49.00mm
	Turbo Model	T3-B	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.60	A/R	0.82
40	Cooled	Water&Oil cooled	Air Inlet		Flange	T3
.0	Oil Feed		Air Outlet		Exhasut Outlet	V BAND
	Oil Drain		Inducer	Ф54.13mm	Inducer	Ф65.20mm
	Horsepower		Exducer	Ф70.00mm	Exducer	Ф56.00mm
	Turbo Model	T3T4-1		g & Wheel	Turbine Hs	
	Bearing	Journal bearing	A/R	0.50	A/R	0.63
41	Cooled	Oil cooled	Air Inlet	3"	Flange	T3
	Oil Feed		Air Outlet	2"	Exhasut Outlet	5 Boltes
	Oil Drain		Inducer	Ф54.30mm	Inducer	Ф65.25mm
	Horsepower	300-400hp	Exducer	Ф76.00mm	Exducer	Ф56.00mm
			_	•		
	Turbo Model	T3T4-2		g & Wheel	Turbine Hs	_
	Bearing	Journal bearing	A/R	0.50	A/R	0.63
42	Cooled	Water & Oil cooled	Air Inlet	3"	Flange	T3
	Oil Feed		Air Outlet	2"	Exhasut Outlet	4 Boltes
	Oil Drain		Inducer	Ф61.40mm	Inducer	Φ68.00mm
	Horsepower		Exducer	Ф82.00mm	Exducer	Ф62.30mm
	Turks Madal	VA/TOT 4	Compilie	7	Turbino Us	a 2 M/bool
	Turbo Model	WT3T4		& Wheel	Turbine Hs	_
	Bearing Cooled	Journal bearing Water&Oil cooled	A/R Air Inlet	0.60 3"	A/R Flange	0.63
43	Coolea	Water&Oil cooled	Air iniet	3	Flange	5 Boltes or
43	Oil Feed		Air Outlet	2"	Exhasut Outlet	V band-79mm
	Oil Drain		Inducer	Ф54.30mm	Inducer	Φ65.25mm
	Horsepower	300-400hp	Exducer	Φ34.30mm	Exducer	Ф56.00mm
	Horsepower	300-400Hp	LXuucei	Ψ/1.00111111	LXuucei	Ψ30.0011111
	Turbo Model	WT3	Comp Hse	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.42	A/R	0.48
	Cooled	Oil cooled	Air Inlet	<u> </u>	Flange	T3
44	Oil Feed		Air Outlet		Exhasut Outlet	4 Bolts
	Oil Drain		Inducer	Ф46.40mm	Inducer	
	Horsepower		Exducer		Exducer	Ф49.00mm
			0 11	0 144	- 1:	- 0 \A/l l
	Turbo Model	T4-2	Comp Hs	g & Wheel	Turbine Hs	g & wneei

45	Cooled	Oil cooled	Air Inlet	4"	Flange	T4
45	Oil Feed		Air Outlet		Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф76.74mm	Inducer	Ф74.10mm
	Horsepower	1000hp	Exducer	Ф102.40mm	Exducer	Ф64.50mm
		•				
	Turbo Model	T4-3	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.80	A/R	0.96
46	Cooled	Oil cooled	Air Inlet	4"	Flange	T4
46	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	V BAND
	Oil Drain		Inducer	Ф76.74mm	Inducer	Ф74.10mm
	Horsepower	800-1000hp	Exducer	Ф102.4mm	Exducer	Ф64.50mm
	Turbo Model	T4-4	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.68
47	Cooled	Water&Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4
	Oil Feed	,	Air Outlet	2.5"	Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.60mm
	Horsepower	450-600hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	·	·				
	Turbo Model	T4-5	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.81
48	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф66.60mm	Inducer	Ф74.10mm
	Horsepower		Exducer	Ф84.00mm	Exducer	Ф64.50mm
	Turbo Model	T4-6	Comp Hs	& Wheel	Turbine Hsg & Wheel	
	Bearing	Journal bearing	A/R	0.70	A/R	0.96
49	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4
	Oil Feed	,	Air Outlet	2.5"	Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.60mm
	Horsepower	450-600hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	·	·				
	Turbo Model	T4-7	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.68
F0	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T4
50	Oil Feed	_	Air Outlet	2.5"	Exhasut Outlet	3" V BAND
				Ф66.60mm	Inducer	Ф74.10mm
	Oil Drain		Inducer	Ψ66.6011111	illuucei	Ψ/ 4 .10111111
	Oil Drain Horsepower	450-600hp	Inducer Exducer	Ф84.00mm	Exducer	Ф64.50mm
		450-600hp				
			Exducer			Ф64.50mm

51	Cooled	Water&Oil cooled or only oil cooled	Air Inlet	4"	Flange	T4
	Oil Feed	·	Air Outlet	2.5"	Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф76.74mm	Inducer	Ф74.10mm
	Horsepower	800-900hp	Exducer	Ф102.40mm	Exducer	Ф64.50mm
	Turbo Model	T66-1	Comp Hsg	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R (T04E)	0.70	A/R	0.84
52	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф66.60mm	Inducer	Ф73.60mm
	Horsepower	400-500hp	Exducer	Ф84.00mm	Exducer	Ф64.50mm
	Turbo Model	T66-2	Comp Hs	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.96
53	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф66.60mm	Inducer	Ф71.40mm
	Horsepower		Exducer	Ф84.00mm	Exducer	Ф64.50mm
	·					
	Turbo Model	T66-3	Comp Hs	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	1.00
54	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
	Oil Feed	,	Air Outlet	2.5"	Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф66.60mm	Inducer	Ф73.60mm
	Horsepower	400-600hp	Exducer	Ф84.00mm	Exducer	Ф64.50mm
	·					
	Turbo Model	T66-4	Comp Hs	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	1.15
55	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
	Oil Feed	-	Air Outlet	2.5"	Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф66.60mm	Inducer	Ф73.60mm
	Horsepower	500-600hp	Exducer	Ф84.00mm	Exducer	Ф64.50mm
	Turbo Model	T66-5	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	1.32
56	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
	Oil Feed	,	Air Outlet	2.5"	Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф66.60mm	Inducer	Ф73.60mm
	Horsepower	500-700hp	Exducer	Ф84.00mm	Exducer	Ф64.50mm
	1					

	Turbo Model	T70	Comp Hsg	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	0.84
57	Cooled	Water & Oil cooled or only Oil cooled	Air Inlet	4"	Flange	T3 twin scroll
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	V BAND-79mm
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.00mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	Turbo Model	T70-1	Comp Hsg	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R (T04E)	0.70	A/R(H2A)	0.84
58	Cooled	Water & Oil cooled	Air Inlet	4"	Flange	T3
56	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	2.5" V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.00mm
	Horsepower	400-500hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	Turbo Model	T72	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.80	A/R	0.96
59	Cooled	Oil cooled	Air Inlet	4"	Flange	T4
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф76.74mm	Inducer	Ф74.10mm
	Horsepower	800-1000hp	Exducer	Ф102.4mm	Exducer	Ф64.50mm
	Turbo Model	T76	Comp Hsg	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.80	A/R	0.81
60	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T4
	Oil Feed		Air Outlet		Exhasut Outlet	3" V BAND
	Oil Drain		Inducer	Ф76.74mm	Inducer	Ф74.10mm
	Horsepower	1000hp	Exducer	Ф102.4mm	Exducer	Ф64.50mm
	Turbo Model	T78	. `	& Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	
61	Cooled	Water&Oil cooled	Air Inlet		Flange	T4 twin scroll
	Oil Feed		Air Outlet		Exhasut Outlet	VBAND
	Oil Drain		Inducer		Inducer	
	Horsepower		Exducer		Exducer	
			-			
	Turbo Model	T88		& Wheel		g & Wheel
	Bearing	Journal bearing	A/R	0.60	A/R	1.05
62	Cooled	Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	VBAND
	Oil Drain	4000 !	Inducer	Ф63.00mm	Inducer	Ф84.40mm
	Horsepower	1000+hp	Exducer	Ф92.00mm	Exducer	Ф74.50mm
	Tambo 8 4 and 1	TD0F 466	Committee	- Q \A/b I	Tandala a 11	- 0 \\/h c = l
	Turbo Model	TD05-16G	•	& Wheel	Turbine Hs	g & wneel
	Bearing	Journal bearing	A/R	0.49	A/R	
63	Cooled	Water&Oil cooled	Air Inlet		Flange	

UO	Oil Feed		Air Outlet		Exhasut Outlet	4 Bolts
	Oil Drain		Inducer	Ф48.25mm	Inducer	Ф48.85mm
	Horsepower		Exducer	Ф68.00mm	Exducer	Ф55.80mm
	·					
	Turbo Model	TD05-20G	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R		A/R	
C 4	Cooled	Water&Oil cooled	Air Inlet		Flange	
64	Oil Feed		Air Outlet		Exhasut Outlet	4 Bolts
	Oil Drain		Inducer	Ф52.56mm	Inducer	Ф55.8mm
	Horsepower	450hp	Exducer	Ф68mm	Exducer	Ф48.85mm
	Turbo Model	TD05-20G-8	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.63	A/R	8cm*cm
65	Cooled	Water&Oil cooled	Air Inlet		Flange	
05	Oil Feed	M12*1.25	Air Outlet		Exhasut Outlet	3 Bolts/5Bolts
	Oil Drain	2*M6*1.0	Inducer	Ф52.78mm	Inducer	Ф56.00mm
	Horsepower	450hp	Exducer	Ф68.00mm	Exducer	Ф49.00mm
	Turbo Model	TD05-16G WRX	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	.49(H16)	A/R	
66	Cooled	Water&Oil cooled	Air Inlet		Flange	
00	Oil Feed		Air Outlet		Exhasut Outlet	3 Bolts/5Bolts
	Oil Drain		Inducer	Ф48.25mm	Inducer	Ф48.85mm
	Horsepower		Exducer	Ф68.00mm	Exducer	Ф55.80mm
	Turbo Model	TO4		g & Wheel	Turbine Hs	
	Bearing	Journal bearing	A/R	H60	A/R	MHI 8cm²
67	Cooled	Water&Oil cooled	Air Inlet		Flange	
	Oil Feed		Air Outlet		Exhasut Outlet	3 Bolts/5Bolts
	Oil Drain		Inducer	Ф56.60mm	Inducer	
	Horsepower		Exducer		Exducer	Ф48.85mm
		T0.47		0.11		0.14
	Turbo Model	TO4Z	. ,	g & Wheel	Turbine Hs	<u> </u>
	Bearing	Journal bearing	A/R	0.70	A/R	1.00
68	Cooled	Water&Oil cooled	Air Inlet		Flange	T4
	Oil Feed		Air Outlet	****	Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф61.40	Inducer	+64.50
	Horsepower		Exducer		Exducer	Ф64.50mm
	T de Nasdal	TO 47.2	Caman Ha	- 0 \A(b - a l	Tumbin o Ula	= 0 \A/l= = = l
	Turbo Model	TO4Z-2	. `	g & Wheel	Turbine Hs	•
	Bearing	Journal bearing	A/R	0.70 4"	A/R	1.00
69	Cooled	Water&Oil cooled	Air Inlet	· -	Flange	T4 twin scroll
	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3.25" V BAND
	Oil Drain	400 6006-	Inducer	Ф66.60mm Ф84.00mm	Inducer	Φ73.60mm
	Horsepower	400-600hp	Exducer	I WX4.UUMM	Exducer	Ф64.50mm
	Trorsepower			40 1100111111		

	Turbo Model	TO4Z-3	Comp Hsg	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	1.00
70	Cooled	Water&Oil cooled	Air Inlet	4"	Flange	T4 twin scroll
70	Oil Feed		Air Outlet	2.5"	Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.60mm
	Horsepower	500-600hp	Exducer	Ф82.00mm	Exducer	Ф64.50mm
	Turbo Model	TO4R-1	Comp Hsg	g & Wheel	Turbine Hs	g & Wheel
	Bearing	Journal bearing	A/R	0.70	A/R	1.32
	Cooled	Water&Oil cooled	Air Inlet		Flange	T4
71	Cooled	or only Oil cooled	All lillet		rialige	14
	Oil Feed		Air Outlet		Exhasut Outlet	3.25" V BAND
	Oil Drain		Inducer	Ф61.40mm	Inducer	Ф73.80mm
	Horsepower		Exducer	Ф82.00mm	Exducer	Ф64.50mm
			Comp Hsg & Wheel			
	Turbo Model	TO4R-2	Comp Hs	g & Wheel	Turbine Hs	g & Wheel
	Turbo Model Bearing	TO4R-2 Journal bearing	Comp Hsg A/R(T04E)	g & Wheel 0.70	Turbine Hs A/R	g & Wheel 0.84
72						_
72	Bearing	Journal bearing	A/R(T04E)	0.70	A/R	0.84
72	Bearing Cooled	Journal bearing	A/R(T04E) Air Inlet	0.70 4"	A/R Flange	0.84 T4 twin scroll
72	Bearing Cooled Oil Feed	Journal bearing	A/R(T04E) Air Inlet Air Outlet	0.70 4" 2.5"	A/R Flange Exhasut Outlet	0.84 T4 twin scroll 2.5" V BAND
72	Bearing Cooled Oil Feed Oil Drain	Journal bearing Water&Oil cooled	A/R(T04E) Air Inlet Air Outlet Inducer	0.70 4" 2.5" Φ61.40mm	A/R Flange Exhasut Outlet Inducer	0.84 T4 twin scroll 2.5" V BAND Ф73.60mm
72	Bearing Cooled Oil Feed Oil Drain	Journal bearing Water&Oil cooled	A/R(T04E) Air Inlet Air Outlet Inducer Exducer	0.70 4" 2.5" Φ61.40mm	A/R Flange Exhasut Outlet Inducer	0.84 T4 twin scroll 2.5" V BAND Ф73.60mm Ф64.50mm
72	Bearing Cooled Oil Feed Oil Drain Horsepower	Journal bearing Water&Oil cooled 500-600hp	A/R(T04E) Air Inlet Air Outlet Inducer Exducer	0.70 4" 2.5" Φ61.40mm Φ82.00mm	A/R Flange Exhasut Outlet Inducer Exducer	0.84 T4 twin scroll 2.5" V BAND Ф73.60mm Ф64.50mm
	Bearing Cooled Oil Feed Oil Drain Horsepower Turbo Model	Journal bearing Water&Oil cooled 500-600hp TD06H-20G	A/R(T04E) Air Inlet Air Outlet Inducer Exducer Comp Hsg	0.70 4" 2.5" Φ61.40mm Φ82.00mm	A/R Flange Exhasut Outlet Inducer Exducer Turbine Hs	0.84 T4 twin scroll 2.5" V BAND Φ73.60mm Φ64.50mm
72	Bearing Cooled Oil Feed Oil Drain Horsepower Turbo Model Bearing	Journal bearing Water&Oil cooled 500-600hp TD06H-20G Journal bearing	A/R(T04E) Air Inlet Air Outlet Inducer Exducer Comp Hsg A/R(T04E)	0.70 4" 2.5" Φ61.40mm Φ82.00mm	A/R Flange Exhasut Outlet Inducer Exducer Turbine Hs A/R	0.84 T4 twin scroll 2.5" V BAND Φ73.60mm Φ64.50mm
	Bearing Cooled Oil Feed Oil Drain Horsepower Turbo Model Bearing Cooled	Journal bearing Water&Oil cooled 500-600hp TD06H-20G Journal bearing Water&Oil cooled	A/R(T04E) Air Inlet Air Outlet Inducer Exducer Comp Hsg A/R(T04E) Air Inlet	0.70 4" 2.5" Φ61.40mm Φ82.00mm	A/R Flange Exhasut Outlet Inducer Exducer Turbine Hs A/R Flange	0.84 T4 twin scroll 2.5" V BAND Φ73.60mm Φ64.50mm g & Wheel 8cm*8cm